

HEATING

HEATERS, FURNACES, BOILERS

KEROSENE SPACE HEATERS

21st Century, Inc. Manual Syphon Pump



Manual hand syphon.

ITEM NO	DESCRIPTION				
17131400	Syphon Pump				
MODEL					
A40/PW-15					
UPC		VL	UM	PK	
042077-000408		C	EA	24	

Battery Syphon



Requires 2 "D" batteries. Easily fill kerosene heaters from 5 gallon cans. DO NOT USE FOR TRANSFERRING GASOLINE.

ITEM NO	DESCRIPTION				
17130102	Battery Syphon				
MODEL					
A50					
UPC		VL	UM	PK	
042077-000507			EA	24	


21st Century, Inc. Butane lighter 1/CD



Great for use on BBQ's, candles, fireplaces and kerosene heaters.

ITEM NO	DESCRIPTION				
17130110	Butane Lighter				
MODEL					
S29					
UPC		VL	UM	PK	
0			EA	1	

WARREN® Kerosene



High quality, clean burning kerosene for use on boats, and in the home for filling and lighting all makes of kerosene heaters, lamps and stoves. Burns odor-free and smoke free and ensures easy ignition. Low carbon buildup.

ITEM NO	DESCRIPTION				
09100032	Kerosene				
MODEL					
Gallon					
K-1					
UPC		VL	UM	PK	
039881-100905		A	EA	6	


◆ ◆ ◆ ◆ ◆

E
1

HEATING CONTROLS, GRILLES, DUCTS AND CIRCULATORS

HEATING AND COOLING VENTS AND DUCTS

Coal Hod



Corrugated body, pre-galvanized sheet steel. For scuttle, fireplace or decoration. Sturdy bail handle.

ITEM NO	DESCRIPTION			
17401327	Painted black			
MODEL	BCH			
24826-30001	VL D	UM EA	PK 6	

E
2

Ash Shovels



Formed from extra heavy sheet steel. Exceptionally strong and well made. Can be recommended to meet all requirements.

ITEM NO	DESCRIPTION			
17400371	Black Enameled			
MODEL	BAS17			
24826-30003	VL C	UM EA	PK 12	

HEATING CONTROLS, GRILLES, DUCTS AND CIRCULATORS

HEATING AND COOLING VENTS AND DUCTS

Galvanized Stove Pipe




24" Lengths

ITEM NO	DESCRIPTION				
17310208	Galvanized Stove Pipe 30 Gauge,				
MODEL	6"x24"				
101-6"x24"	MIN SHIP 10				
662837-683009	VL	UM	PK		
	A	EA	10		

ITEM NO	DESCRIPTION				
17310240	Galvanized Stove Pipe 30 Gauge,				
MODEL	8"x24"				
101-8"x24"	MIN SHIP 10				
662837-803003	VL	UM	PK		
	B	EA	10		

Sell by each in full carton quantities only.

Galvanized Elbows




90 Degree Adjustable Elbow

ITEM NO	DESCRIPTION				
17310720	Galvanized Elbow 30 Gauge, 6"				
MODEL	111-6" 30 GA				
	MIN SHIP 12				
662837-603023	VL	UM	PK		
	B	EA	12		

ITEM NO	DESCRIPTION				
17310747	Galvanized Elbow 30 Gauge, 8"				
MODEL	111-8" 30 GA				
	MIN SHIP 12				
662837-803027	VL	UM	PK		
	B	EA	12		

Sell by each in full carton quantities only.

Cast Iron Stove Pipe Damper



Cast Iron Damper

ITEM NO	DESCRIPTION				
17311166	Cast Iron Stove Pipe Damper				
MODEL	6"				
6-CID 6"					
662837-60314	VL	UM	PK		
	C	EA	48		

ITEM NO	DESCRIPTION				
17311182	Cast Iron Stove Pipe Damper				
MODEL	8"				
8-CID 8"					
662837-80314	VL	UM	PK		
	C	EA	24		


E
3

HEATING CONTROLS, GRILLES, DUCTS AND CIRCULATORS

HEATING AND COOLING VENTS AND DUCTS



Galvanized Vent Top Shanty Caps




ITEM NO	DESCRIPTION				
17314181	Galvanized Vent Top Shanty Cap 4"				
MODEL	334 4" GALV				
0	VL	UM	PK		
	C	EA	12		

ITEM NO	DESCRIPTION				
17314246	Galvanized Vent Top Shanty Cap 6"				
MODEL	334 6" GALV				
0	VL	UM	PK		
	C	EA	12		

ITEM NO	DESCRIPTION				
17314327	Galvanized Vent Top Shanty Cap 8"				
MODEL	334 8" GALV				
0	VL	UM	PK		
	C	EA	12		




Pitch Roof Flange



1/4 Pitch Rainproof, Galvanized


ITEM NO	DESCRIPTION				
17312022	Pitch Roof Flange 6"				
MODEL	336 6" GALV				
0	VL	UM	PK		
	C	EA	12		

Galvanized Stove Pipe Reducer



ITEM NO	DESCRIPTION				
17311107	Galvanized Stove Pipe Reducer				
MODEL	30 GA				
265- 8"x6"					
662837-866114	VL	UM	PK		
	C	EA	12		


Galvanized Stove Pipe Reducer



ITEM NO	DESCRIPTION				
17311190	Adjustable Wall Thimble				
MODEL	ASC4-8"				
662837-315964	VL	UM	PK		
	C	EA	12		

FULTON

Flue Stopper



ITEM NO	DESCRIPTION				
17311069	Fluestop, 4"-8" Overall 9-5/8"				
MODEL	3F-72				
045081-800330	VL	UM	PK		
	B	EA	12		

E
4

HEATING CONTROLS, GRILLES, DUCTS AND CIRCULATORS

HEATING AND COOLING VENTS AND DUCTS

DUNDAS JAFINE

Dryer Vent Kit



For exhausting gas and electric clothes dryers. Includes 1 Maxi Flow vent hood with attached 12" aluminum tail pipe and plastic flange, (1) 4" diameter x 8' length ProFlex UL listed aluminum foil duct, and 2 adjustable dryer duct clamps.

ITEM NO	DESCRIPTION			
17314572	Dryer Vent Kit			
MODEL	4" x 8'			
TD48PMKZW	Retail Box			
060672-268160	VL	UM	PK	
	B	EA	6	

Louvered Vent Kit



Dryer vent kit for exhausting gas and electric clothes dryers, kitchen and bathroom exhausts. Includes (1) 4" ProVent nonstick louvered cap with 4" diameter aluminum pipe, (1) 4" diameter 8' length ProFlex transition duct, and 2 plastic clamps with quick release, self-locking system.

ITEM NO	DESCRIPTION			
17310941	Louvered Vent Kit			
MODEL	4" x 8'			
TD48PVKZW	Retail Box			
060672-268184	VL	UM	PK	
	B	EA	6	

Indoor Dryer Vent w/Duct



- Kit comes complete with plastic lint reservoir, 2 plastic clamps and 4" x 5' UL listed clothes dryer transition duct
- Used to vent your electric clothes dryer indoors when outside venting is impossible
- Ideal for apartment, condominiums and RV's
- **Do Not** use on a gas clothes dryer

ITEM NO	DESCRIPTION			
17310380	Indoor Dryer vent w/Duct			
MODEL	4" x 5'			
TDIDVKZW	Retail Box			
060672-420346	VL	UM	PK	
	C	EA	6	

Maxi-Flow™ Dryer Vent



- 4" opening helps exhaust air more efficiently
- Comes complete with back draft damper to prevent cold air from returning into home
- Ideal for use in clothes dryer, kitchen and bathroom exhausts

ITEM NO	DESCRIPTION			
17314785	Maxi-Flow™ Dryer Vent			
MODEL	4" White Hood			
MVB4Z	Bulk Pack			
060672-269129	VL	UM	PK	
	B	EA	12	

Louvered Vent Hood



- 3 louver design exhausts air more efficiently
- Ideal for use in clothes dryer, kitchen and bathroom exhausts
- 8 screw mount positions for easy installation access
- Low profile bevelled edges
- Louvers are rounded, reinforced and have specially designed ends to prevent them from coming out easily

ITEM NO	DESCRIPTION			
17310968	Louvered Vent Hood			
MODEL	4"			
LPVB4Z	Bulk Pack			
060672-270071	VL	UM	PK	
	A	CD	12	

Flex Aluminum Duct



- Ideal for use in general purpose exhaust applications including kitchen range exhaust
- Totally non-combustible
- Can be bent into any configuration
- Maximum operating temperature is 435° F

ITEM NO	DESCRIPTION			
17310410	Flex Aluminum Duct			
MODEL	4"x8' Crimped			
MFV48CRX	Bulk Pack			
060672-137022	VL	UM	PK	
	C	EA	10	



5

HEATING CONTROLS, GRILLES, DUCTS AND CIRCULATORS

HEATING AND COOLING VENTS AND DUCTS

DUNDAS JAFINE

Proflex™ Dryer Vent



- UL 2158A listed and marked as a clothes dryer transition duct
- Constructed of a 4 ply aluminum foil laminate that will not support combustion
- Ideal for gas and electric clothes dryer applications

ITEM NO	DESCRIPTION	VL	UM	PK
17314351	Proflex™ Dryer Vent			
MODEL	4" x 5'			
BTD45	Retail Box			
060672-600052		B	EA	12

ITEM NO	DESCRIPTION	VL	UM	PK
17314378	Proflex™ Dryer Vent			
MODEL	4" x 8'			
BTD48TC	Retail Box			
060672-600090		A	EA	12

ITEM NO	DESCRIPTION	VL	UM	PK
17314386	Proflex™ Dryer Vent			
MODEL	4" x 20'			
BTD420ZW				
060672-600212		B	EA	10

ITEM NO	DESCRIPTION	VL	UM	PK
17314483	Proflex™ Dryer Vent			
MODEL	4" x 50'			
TD450	Bulk Pack			
060672-600304		C	EA	1

Plastic Dryer Vent Clamp



- Ideal for use with flexible ducting
- Features a quick release, self locking clasp

ITEM NO	DESCRIPTION	VL	UM	PK
17314769	Plastic Dryer Vent Clamp			
MODEL	4"			
C234	Buld Pack			
060672-130252		B	EA	50

Dryer Vent Clamp 2/Pk



- Ideal for use with metal ducting
- Heavy duty all metal design

ITEM NO	DESCRIPTION	VL	UM	PK
17310488	Dryer Vent Clamp 2/Pk			
MODEL	4"			
2MC4E	Retail Bag			
060672-131280		B	BG	25

Dryer Vent Clamp Bulk



- Stainless steel construction
- Durable non-combustible clamp
- Ideal to fasten flexible ducting to pipes or elbows in various applications including dryer, kitchen and bathroom installations

ITEM NO	DESCRIPTION	VL	UM	PK
17314777	Dryer Vent Clamp Bulk			
MODEL	4"			
MC4ZW	Bulk Pack			
060672-130276		B	EA	50

Dryer Aluminum 90° Elbow



- Ideal for venting most types of heating units
- Features all aluminum 4 piece construction
- Fully adjustable to 90°

ITEM NO	DESCRIPTION	VL	UM	PK
17310445	Dryer Aluminum 90° Elbow			
MODEL	4"			
E4E20	Bulk Pack			
060672-300723		B	EA	12

Dryer Aluminum Vent Pipe



- Ideal for venting most types of heating units
- Features easy-to-close snap lock seam


ITEM NO	DESCRIPTION	VL	UM	PK
17310011	Dryer Aluminum Vent Pipe			
MODEL	4" x 24" - 0.012"			
P4E20ZW	Buld Pack			
060672-300815		B	EA	24

E
6

HEATING CONTROLS, GRILLES, DUCTS, CIRCULATORS

HEATING AND COOLING CONTROLS ACCESSORIES

Thermocouple



Universal Fit

ITEM NO	DESCRIPTION			
17320173	Cooper Tubing Body 18"			
MODEL	Thermocouple, Carded			
511118				
UPC	VL	UM	PK	
76335-00018	C	EA	5	

ITEM NO	DESCRIPTION			
17320203	Cooper Tubing Body 24"			
MODEL	Thermocouple, Carded			
511124				
UPC	VL	UM	PK	
76335-00024	C	EA	5	

ITEM NO	DESCRIPTION			
17320238	Cooper Tubing Body 36"			
MODEL	Thermocouple, Carded			
511136				
UPC	VL	UM	PK	
76335-00036	B	EA	5	

Economy Thermostat Heat/Cool Honeywell



- For gas, oil or electric heat
- 24 Volt heating/cooling
- Mercury bulb adjustable heat anticipator
- 0.18 to 1.0 amp

ITEM NO	DESCRIPTION			
17320009	Economy Thermostat Heat / Cool			
MODEL				
661133				
UPC	VL	UM	PK	
085267-000550	B	EA	1	

E
7

HEATING CONTROLS, GRILLES, DUCTS AND CIRCULATORS

HEATING AND AIR CONDITIONING FILTERS



Filtrete™ Clean Air Filter



20 times more efficient than ordinary filters. Removes 92% of airborne dust, pollen and mold. 3 months of clean air performance (under normal conditions).

ITEM NO		DESCRIPTION			
17330799		Filtrete Clean Air Filter 16x20x1			
MODEL		9800NA			
UPC		VL	UM	PK	
51111-09800		C	EA	6	
ITEM NO		DESCRIPTION			
17330802		Filtrete Clean Air Filter 16x25x1			
MODEL		9801NA			
UPC		VL	UM	PK	
51111-09801		D	EA	6	
ITEM NO		DESCRIPTION			
17330810		Filtrete Clean Air Filter 20x20x1			
MODEL		9802NA			
UPC		VL	UM	PK	
51111-09802		C	EA	6	
ITEM NO		DESCRIPTION			
17330829		Filtrete Clean Air Filter 20x25x1			
MODEL		9803NA			
UPC		VL	UM	PK	
51111-09803		C	EA	6	
ITEM NO		DESCRIPTION			
17330837		Filtrete Clean Air Filter 18x24x1			
MODEL		9821NA			
UPC		VL	UM	PK	
51111-09821		C	EA	6	

Sell by each in full carton quantities only.

Filtrete™ Clean Air Filter

ITEM NO		DESCRIPTION			
17330845		Filtrete Clean Air Filter 14x25x1			
MODEL		9804NA			
UPC		VL	UM	PK	
51111-09804		E	EA	6	

ITEM NO		DESCRIPTION			
17330853		Filtrete Clean Air Filter 14x20x1			
MODEL		9805NA			
UPC		VL	UM	PK	
51111-09805		D	EA	6	

ITEM NO		DESCRIPTION			
17330861		Filtrete Clean Air Filter 15x20x1			
MODEL		9806NA			
UPC		VL	UM	PK	
51111-09806		E	EA	6	

ITEM NO		DESCRIPTION			
17330888		Filtrete Clean Air Filter 10x20x1			
MODEL		9807NA			
UPC		VL	UM	PK	
51111-09807		E	EA	6	

ITEM NO		DESCRIPTION			
17330896		Filtrete Clean Air Filter 12x20x1			
MODEL		9819NA			
UPC		VL	UM	PK	
51111-09819		D	EA	6	

ITEM NO		DESCRIPTION			
17330918		Filtrete Clean Air Filter 12x24x1			
MODEL		9820NA			
UPC		VL	UM	PK	
51111-09820		E	EA	6	

Sell by each in full carton quantities only.

HEATING CONTROLS, GRILLES, DUCTS AND CIRCULATORS

HEATING AND AIR CONDITIONING FILTERS



Filtrete™ Room Air Conditioner Filter




Room Air Conditioner Filter

ITEM NO	DESCRIPTION				
17330926	Filtrete Room Air Conditioner Filter				
MODEL	15x24x1				
09808-0		VL	UM	PK	
UPC		C	EA	12	
51111-09808					

Precisionaire®

Air Filter-Pleated



ITEM NO	DESCRIPTION				
17331043	Air Filter-Pleated, 14" x 20" x 1"				
MODEL	14x20x1				
UPC		VL	UM	PK	
0		A	EA	12	
ITEM NO	DESCRIPTION				
17331035	Air Filter-Pleated, 14" x 25" x 1"				
MODEL	14x25x1				
UPC		VL	UM	PK	
0		A	EA	12	
ITEM NO	DESCRIPTION				
17331027	Air Filter-Pleated, 15" x 20" x 1"				
MODEL	15x20x1				
UPC		VL	UM	PK	
0		A	EA	12	
ITEM NO	DESCRIPTION				
17331019	Air Filter-Pleated, 16" x 20" x 1"				
MODEL	16x20x1				
UPC		VL	UM	PK	
0		A	EA	12	
ITEM NO	DESCRIPTION				
17331000	Air Filter-Pleated, 16" x 25" x 1"				
MODEL	16x25x1				
UPC		VL	UM	PK	
0		A	EA	12	
ITEM NO	DESCRIPTION				
17330993	Air Filter-Pleated, 20" x 20" x 1"				
MODEL	20x20x1				
UPC		VL	UM	PK	
0		A	EA	12	

E
9

HEATING CONTROLS, GRILLES, DUCTS AND CIRCULATORS

HEATING AND AIR CONDITIONING FILTERS

Room Air Conditioner Filters



Open-cell foam media laminated to a rigid, plastic support grid. Like the regular foam pad, it can be washed or vacuumed. Plastic black foam.

ITEM NO	DESCRIPTION				
17330047	Room Air Conditioner Filters				
MODEL	15x24x1/4				
KK1000					
UPC		VL	UM	PK	
31949-00003		A	EA	24	

Ever-popular expanded aluminum mesh pad. Can be washed over and over again. Recoat with Kwik Kut Filter Spray. Aluminum.

ITEM NO	DESCRIPTION				
17330020	Room Air Conditioner Filter				
MODEL	15x24x3/8				
KK1601A					
UPC		VL	UM	PK	
31949-00042		E	EA	24	

Washable Foam Filter.

ITEM NO	DESCRIPTION				
17330012	Room Air Conditioner Filter				
MODEL	15x24x1/4				
KK500					
UPC		VL	UM	PK	
0			EA	24	

Fiberglass Filter.

ITEM NO	DESCRIPTION				
17330004	Room Air Conditioner Filter				
MODEL	15x24x3/8				
KK600					
UPC		VL	UM	PK	
0			EA	24	

Minimum shipment of 24.

Smilie Latex Fiber Filter



Smilie is latex-coated organic fiber on a scrim backing. It can be washed repeatedly for re-use and has high dust-holding capacity. Cut and install air filter pads for central air conditioners and furnaces.

ITEM NO	DESCRIPTION				
17330659	Smilie Latex Fiber Filter				
MODEL	20" x 30" x 1"				
SM20x30x1	Minimum Ship 12				
UPC		VL	UM	PK	
31949-00015		A	EA	12	

Hammock Media




This is a high quality, progressive density, nominal one-inch size spun glass media. Designed for use in air conditioners and furnaces equipped with "hammock" grids for frameless air filters. The pad fits Lennox furnaces. 20 foot rolls of the same media come in widths of 24", 30", 36", and 40".

ITEM NO	DESCRIPTION				
17330624	Hammock Media				
MODEL	24" x 240" x 1"				
HR24x240x1					
UPC		VL	UM	PK	
31949-00016		E	EA	1	

HEATING CONTROLS, GRILLES, DUCTS AND CIRCULATORS

HEATING AND AIR CONDITIONING FILTERS

Spun Glass Disposable Panel Type Air Filters 1-Metal Grid



Disposable panel type air filters for furnace & central air.

Extra rigidity for superior performance.

ITEM NO	MODEL	DF	VL	UM	PK	Sugg Retail
17330098	10" x 20" x 1"		A	EA	12	
17330101	12" x 20" x 1"		A	EA	12	
17330128	12" x 24" x 1"		A	EA	12	
17330136	14" x 20" x 1"		A	EA	12	
17330500	14" x 25" x 1"		A	EA	12	
17330144	15" x 20" x 1"		A	EA	12	
17331132	16" x 16" x 1"		A	EA	12	
17330160	16" x 20" x 1"		A	EA	12	
17330179	16" x 25" x 1"		A	EA	12	
17330195	18" x 18" x 1"		A	EA	12	
17330543	18" x 20" x 1"		A	EA	12	
17330209	18" x 24" x 1"		A	EA	12	
17330217	18" x 25" x 1"		C	EA	12	
17330225	20" x 20" x 1"		A	EA	12	

Sell by each in full carton quantities only.

Spun Glass Disposable Panel Type Air Filters 2-Metal Grid

INDUSTRIAL GRADE AIR FILTERS

1" industrial grade air filters for central air systems and furnaces.

ITEM NO	MODEL	DF	VL	UM	PK	Sugg Retail
17330616	8 x 14 x 1		A	EA	12	
17330438	10 x 10 x 1		C	EA	12	
17330535	10 x 24 x 1		B	EA	12	
17330446	10 x 25 x 1		C	EA	12	
17330454	10 x 30 x 1		C	EA	12	
17330276	12 x 12 x 1		A	EA	12	
17330268	12 x 18 x 1		A	EA	12	
17330462	12 x 25 x 1		B	EA	12	
17330470	12 x 30 x 1		B	EA	12	
17330489	14 x 14 x 1		A	EA	12	
17331155	14 x 18 x 1		A	EA	12	
17330497	14 x 24 x 1		A	EA	12	
17330063	15 x 24 x 1		B	EA	12	
17330519	15 x 30 x 1		C	EA	12	
17330152	16 x 16 x 1		A	EA	12	
17330586	16 x 22 x 1		B	EA	12	
17330527	16 x 24 x 1		A	EA	12	
17330187	16 x 30 x 1		B	EA	12	
17330667	17-1/2 x 17-1/2 x 1		C	EA	12	
17330675	17-1/2 x 23-1/2 x 1		B	EA	12	
17330683	18 x 30 x 1		B	EA	12	
17330594	20 x 24 x 1		A	EA	12	
17330233	20 x 25 x 1		A	EA	12	
17330241	20 x 30 x 1		A	EA	12	
17330551	21 x 21 x 1		A	EA	12	
17330373	22 x 22 x 1		A	EA	12	
17330284	24 x 24 x 1		A	EA	12	
17330608	24 x 30 x 1		A	EA	12	
17330292	25 x 25 x 1		A	EA	12	

Heat Pump Filters

- 20 x 22- 1/4 x 1

ITEM NO	MODEL	UPC	DF	VL	UM	PK	Sugg Retail
17330365	S20x22-1/4X	31949-15046		C	EA	12	

Sell by each in full carton quantities only.


E
11

HEATING CONTROLS, GRILLES, DUCTS AND CIRCULATORS

HEATING AND AIR CONDITIONING FILTERS

Precisionaire®

Grille Sized Air Filters




Grille filters measure 7/8" under first leg, and 5/8" under second leg. Grille size filters must always be ordered large leg first.

E
12

ITEM NO	MODEL	DF	VL	UM	PK	Sugg Retail
17330691	12" x 12" x 1G		C	EA	12	
17330411	18" x 18" x 1G		C	EA	12	
17330705	20" x 20" x 1G		C	EA	12	
17330713	22" x 22" x 1G		C	EA	12	
17330721	24" x 12" x 1G		E	EA	12	
17330748	24" x 14" x 1G		B	EA	12	
17330578	24" x 18" x 1G		B	EA	12	
17330756	24" x 20" x 1G		B	EA	12	
17330764	24" x 24" x 1G		B	EA	12	
17330772	30" x 18" x 1G		B	EA	12	
17330780	30" x 20" x 1G		B	EA	12	

Sell by each in full carton quantities only.

Permaire Dispenser Roll



ITEM NO	DESCRIPTION				
17330055	Permaire Dispenser Roll				
MODEL	1" x 25" x 20"				
UPC		VL	UM	PK	
0		C	EA	1	


MOBILE HOME HARDWARE

FLOOR REGISTERS, FAN MOTOR, FAN BLADE GRILL


UNITED STATES HARDWARE MANUFACTURING, INC.

Mobile Home Floor Registers


Adjustable floor registers have even distribution of heat thru louvers that permit direction of flow. Use #S-963 screws to install registers.



ITEM NO	DESCRIPTION			
17310577	Adjustable Floor Register			
MODEL	V-103B			
UPC	DF	VL	UM	PK
16356-04265		D	EA	12




ITEM NO	DESCRIPTION			
17310569	Adjustable Floor Register			
MODEL	V-102B			
UPC	DF	VL	UM	PK
16356-04255		C	EA	12



ITEM NO	DESCRIPTION			
17310550	Adjustable Floor Register			
MODEL	V-0571B			
UPC	DF	VL	UM	PK
16356-04155		C	EA	10

Mobile Home Floor Registers



ITEM NO	DESCRIPTION			
17310542	Adjustable Floor Register			
MODEL	V-0561B			
UPC	DF	VL	UM	PK
16356-04145		D	EA	10

E
13

ELECTRIC HOME COMFORT APPLIANCES

ELECTRIC SPACE HEATERS

COMFORT ZONE™

750/1500W Fan Forced Heater



- All metal body
- Fan/high/low
- Caution overheat light
- Adjustable thermostat
- Dual 750 or 1500 watts

ITEM NO	DESCRIPTION			
29630062	750/1500W Fan Forced Heater			
MODEL	CZ707			
UPC	VL	UM	PK	
075877-070708	B	EA	6	


1300/1500 Watts Deluxe Milkhouse Heater



- Fan forced
- Adjustable thermostat
- Safety tip bracket
- Safety tip-over switch
- Carrying handle ETL approved

ITEM NO	DESCRIPTION			
29630887	1300/1500W Milkhouse Heater			
MODEL	CZ792			
UPC	VL	UM	PK	
075877-792006	C	EA	1	

1250/1500W Portable Heater Fan Forced



- Indicator light
- Fan forced
- Adjustable thermostat
- Safety tip bracket
- Safety tip-over switch
- Carrying handle

ITEM NO	DESCRIPTION			
29630046	1250/1500W Portable Heater			
MODEL	CZ530			
UPC	VL	UM	PK	
075877-720306	C	EA	6	

750/1500W Personal Heater Fan



- 750/150W fan forced for maximum comfort
- Adjustable thermostat
- Easy grip handle
- Safety grill
- High limit safety fuse
- Thermal overload protection
- Power light
- Fan only function
- Rotary dials
- Grounded 2 prong cordset
- ETL approved

ITEM NO	DESCRIPTION			
29630895	750/1500 Personal Heater Fan			
MODEL	CZ40			
UPC	VL	UM	PK	
075877-250483	C	EA	6	

Ceramic Heater




- Fan forced
- 1500 watts
- Adjustable thermostat
- Safety tip-over switch
- 4 position switch
- Washable filter

ITEM NO	DESCRIPTION			
29630712	Ceramic Heater			
MODEL	CZ441			
UPC	VL	UM	PK	
075877-004413	B	EA	6	

E
14

KIDDE

Kitchen Fire Extinguisher



Suitable for use on Class B (liquids & gases) and Class C fires (energized electrical equipment). The kitchen unit is fitted with a “one touch” pressure check device to ensure reliable performance. It is manufactured from lightweight aluminum and a tough nylon valve assembly.

- UL rated 2-B:C
- Sodium Bicarbonate
- Disposable
- Agent weight: 1.5 lb.
- Unit weight: 2 lb.
- Height: 10 inches, Diameter: 2.9 inches
- Discharge time: 8-12 seconds
- Discharge range: 4-6 feet
- Operating pressure: 100 psi
- Color: White

ITEM NO	DESCRIPTION
17700073	Fire Extinguisher
MODEL	Kitchen
440130	
UPC	VL UM PK
047871-401307	C EA 6

KIDDE

Kitchen/Garage Fire Extinguisher - 2 Lb.



Suitable for use on Class B (liquids & gases) and Class C fires (energized electrical equipment). Pressure gauge provides at-a-glance status. Cylinder is manufactured from lightweight aluminum. Tough nylon valve assembly.

- UL rated 5-B:C
- U.S.C.G., DOT approved
- Supplied with retention strap bracket
- Sodium Bicarbonate
- Disposable
- Agent weight: 2 lb.
- Unit weight: 2.85 lb.
- Height: 10.95 inches, Diameter: 3.25 inches
- Discharge time: 8-12 seconds
- Discharge range: 4-6 feet
- Operating pressure: 100 psi
- Color: Red

ITEM NO	DESCRIPTION
17700057	Fire Extinguisher
MODEL	Kitchen/Garage
466140	
UPC	VL UM PK
047871-661404	C EA 6

KIDDE

Kitchen/Garage Fire Extinguisher - 3 Lb.



Suitable for use on Class B (liquids & gases) and Class C fires (energized electrical equipment). Pressure gauge provides at-a-glance status. Cylinder is manufactured from lightweight aluminum. Tough nylon valve assembly.

- UL rated 10-B:C
- U.S.C.G., DOT approved
- Supplied with retention strap bracket
- Sodium Bicarbonate
- Disposable
- Agent weight: 2.9 lb.
- Unit weight: 3.9 lb.
- Height: 13.75 inches, Diameter: 3.25 inches
- Discharge time: 8-12 seconds
- Discharge range: 6-8 feet
- Operating pressure: 100 psi
- Color: Red

ITEM NO	DESCRIPTION
17700006	Fire Extinguisher
MODEL	Kitchen/Garage
466141	
UPC	VL UM PK
047871-661411	C EA 6

E
15

FIRE EXTINGUISHERS

FIRE EXTINGUISHERS

KIDDE

Full Home Fire Extinguisher



Suitable for use on Class A (trash, wood & paper), Class B (liquids & gases) and Class C fires (energized electrical equipment). Pressure gauge provides at-a-glance status. Cylinder is manufactured from lightweight aluminum. Tough nylon valve assembly.

- UL rated 1-A, 10-B:C
- U.S.C.G., DOT approved
- Supplied with retention strap bracket
- Monoammonium Phosphate
- Disposable
- Agent weight: 2.5 lb.
- Unit weight: 3.9 lb.
- Height: 13.75 inches, Diameter: 3.25 inches
- Discharge time: 8-12 seconds
- Discharge range: 6-8 feet
- Operating pressure: 100 psi
- Color: Red

ITEM NO	DESCRIPTION			
17700014	Fire Extinguisher			
MODEL	Full Home			
466142				
UPC	VL	UM	PK	
047871-661428	C	EA	6	

KIDDE

Home/Office Fire Extinguisher



Suitable for use on Class A (trash, wood & paper), Class B (liquids & gases) and Class C fires (energized electrical equipment). Pressure gauge provides at-a-glance status. Cylinder is manufactured from lightweight aluminum. Tough nylon valve assembly.

- UL rated 3-A, 40-B:C
- Supplied with wall hanger
- Monoammonium Phosphate
- Rechargeable
- Agent weight: 5.0 lb.
- Unit weight: 7.75 lb.
- Height: 16.07 inches, Diameter: 4.5 inches
- Discharge time: 13-15 seconds
- Discharge range: 12-18 feet
- Operating pressure: 195 psi
- Color: Red

ITEM NO	DESCRIPTION			
17700022	Fire Extinguisher			
MODEL	Home/Office			
466143				
UPC	VL	UM	PK	
047871-661435	C	EA	4	

KIDDE

Home/Business Fire Extinguishers



Suitable for use on Class A (trash, wood & paper), Class B (liquids & gases) and Class C fires (energized electrical equipment). Pressure gauge provides at-a-glance status. Cylinder is manufactured from impact resistant steel and the valve assembly is all metal.

- UL rated 4-A, 60-B:C
- Supplied with wall hanger
- Monoammonium Phosphate
- Rechargeable
- Agent weight: 10 lb.
- Unit weight: 16 lb.
- Height: 19.52 inches, Diameter: 5.21 inches
- Discharge time: 19-21 seconds
- Discharge range: 20 feet
- Operating pressure: 195 psi
- Color: Red

ITEM NO	DESCRIPTION			
17700170	Fire Extinguisher			
MODEL	Home/Business			
466031				
UPC	VL	UM	PK	
047871-660315	C	EA	4	

E
16

KIDDE

Auto Fire Extinguisher



Suitable for use on Class B (liquids & gases) and Class C fires (energized electrical equipment). The auto unit is fitted with a “one touch” pressure check device to ensure reliable performance. It is manufactured from lightweight aluminum and a tough nylon valve assembly. Supplied with a “no drill” velcro mounting bracket.

- UL rated 5-B:C
- Sodium Bicarbonate
- Disposable
- Agent weight: 2.0 lb.
- Unit weight: 2.68 lb.
- Height: 12.75 inches, Diameter: 2.9 inches
- Discharge time: 8–10 seconds
- Discharge range: 10–14 feet
- Operating pressure: 100 psi

ITEM NO	DESCRIPTION
17700111	Fire Extinguisher
MODEL 466310	Auto
UPC 047871-663101	VL C
	UM EA
	PK 6

MAX PROFESSIONAL

Fire Gone Extinguisher



Max Professional™ Fire Gone is more effective than a traditional fire extinguisher on most common fires. Simple to use can and spray nozzle design makes fighting fires fast and easy. Bio-degradable and easy clean up.

ITEM NO	DESCRIPTION
17701439	Fire Gone Extinguisher
MODEL 7102	16 Oz.
UPC 752080-007102	VL B
	UM EA
	PK 12

E
17

FIRE EXTINGUISHERS

FIRE EXTINGUISHERS

**This page is reserved for
future use.**



A

Ash Shovels, 2

B

Buckets, Coal, 2

Butane Lighter, 1

C

Caps, Roof, 4

Coal Hod, 2

D

Damper, Stove Pipe, 3

Dryer Elbow, 6

Dryer Vent

Indoor, 5

Maxi-Flow, 5

Proflex, 6

Dryer Vent Clamp

Metal, 6

Plastic, 6

Dryer Vent Hood, 5

Dryer Vent Kits, 5

Duct Aluminum, 5

E

Elbows, Stovepipe, Galvanized, 3

Electronic Heaters, 12

F

Filters

Clean Air, 8

Dispenser Roll, 12

Grille, 12

Hammock Media, 10

Heat Pump, 11

Latex Fiber Filter, 10

Pleated, 9

Room Air Conditioner, 9, 10

Spun Glass (Disposable), 11

Fire Extinguisher, Kitchen, 15

Fire Extinguisher, Auto, 17

Fire Extinguishers

Full Home, 16

Home/Business, 16

Home/Office, 16

Kitchen/Garage, 15

Fire Gone Extinguisher, 17

Fireplace Tools and Accessories

Ash Shovels, 2

Doal Hod, 2

Flanges, Roof, 4

Flue Stops, 4

G

Galvanized Elbows, 3

Galvanized Stove Pipes, 3

H

Heaters

Ceramic, 14

Fan Forced, 14

Milkhouse, 14

Personal Heater Fan, 14

Portable, 14

Heating and Cooling Controls Accessories, Copper Tubing Body, Universal Fit, 7

K

Kerosene, 1

L

Lighter, Butane, 1

M

Mobile Home Supplies, 13

P

Pitch Roof Flange, 4

Pump Siphon, 1

R

Roof Flange, 4

S

INDEX

HEATING

Shanty Caps, 4
Siphon Pump, 1
Stopper, Flue, 4
Stove Pipe
 Damper, 3
 Galvanized, 3
 Reducer, 4

T

Thermocouple, 7
Thermostats, 7
 Economy, 7

V

Vent Pipe, Dryer, 6
Vent Tops Galvanized, 4